



Gas Airless Sprayers

The Industry Leader in Innovation, Power and Performance



PROVEN QUALITY. LEADING TECHNOLOGY.


There is no other sprayer like a GRACO.

Welcome to a whole new world of paint application possibilities.

Graco manufactures the most extensive and highest quality professional line of paint solutions in the market. This informational guide is designed to help you select the right solutions to your painting needs.

According to Frost & Sullivan, "U.S. Painting Contractors overwhelmingly rate Graco as the best overall brand of spray equipment and is considered the *'Overall Best'* brand among all paint-related products." When it comes to making a choice, Graco is preferred 7 to 1 over the nearest competitive brand.

2008 Overall Best Brand of Spray Equipment



Frost & Sullivan, 2008 Paint Contractors Choice Award for Overall Best Brands

Most importantly, when choosing Graco, you can be assured that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco products are designed, manufactured, and assembled right here in the United States of America, with contractor preferred Honda® engines.

We do!



The G4 Difference... We Build It. We Back It. *Period.*



QUALITY | PERFORMANCE | WARRANTY | PRODUCTIVITY

Only Graco delivers the industry's first choice for gas airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

Precision design, 100% factory-tested and field-proven.

Cutting-edge technology keeps Graco sprayers up and running and on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control ensures highest quality finish for every job.

Rely on any of these high performance sprayers to deliver the results you expect from a Graco.

INDUSTRY LEADING WARRANTY

Every Graco gas sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

Sprayers so reliable you may never need to use the warranty!

UNMATCHED PRODUCTIVITY

Exclusive Endurance Pumps deliver long life, reliable performance and consistent spraying.

The Endurance Advantage Program eliminates downtime by keeping a spare pump on hand for a quick change-out on the job.

Graco has the Right Solutions for all your Gas

Graco introduces our extensive line of gas airless sprayers – all of which offer the quality and performance that you'd expect from Graco. Our flagship line, GMAX™ II, offers superior pressure control and the most available features. For those users who prefer gas hydraulic sprayers we offer our GH line, which has increased performance and the ability to spray heavier materials. Both our GMAX and GH lines are offered as convertibles – allowing you to swap out the gas engine for an electric motor to spray indoors. Finally, for the contractor who sprays the heaviest materials in the most extreme applications, Graco offers the IronMan 500G, GH 733, GH 833 and Roof Rigs. No matter what spraying application you face Graco has the **Total Job Solution** for you.

GRACO GAS AIRLESS SPRAYING SOLUTIONS GUIDE

SPRAYER CLASSIFICATION

ENTRY GAS

- GMAX 3400™

LARGE GAS

- GMAX II 3900/5900/7900
- GMAX II 5900 *Convertible*
- GH 130/200/230 *Convertible*
- GH 300

TYPICAL APPLICATIONS

Interior/Exterior Residential
New Construction
Repaint/Remodel
Property Maintenance
Light Commercial

Interior/Exterior Residential
New Construction
Heavy Commercial
Industrial

TYPICAL MATERIALS

Latex Paints and Primers
Acrylic Paints and Primers
Oil-Based Paints and Primers

Latex Paints and Primers
Acrylic Paints and Primers
Oil-Based Paints and Primers
Elastomerics
Block Fillers and Gypsum
Drywall Mud

PRODUCTION RATE

Medium
1 Gun
Up to 0.027 tip
Up to 0.75 gpm

High
Up to 5 Guns
Up to 0.057 tip
Up to 3.0 gpm

Airless Spraying Applications



“We only use Graco sprayers and would never think of using any sprayer that isn't ‘blue’.”



—Mike Smith
Swanson & Youngdale Painting
Minneapolis, MN

EXTREME-DUTY GAS

- GH 733 and Roof Rigs
- GH 833
- IronMan 500G

Heavy Commercial
Industrial
Roofing
Architectural
Water-Proofing

Elastomerics
Block Fillers and Gypsum
Drywall Mud
Epoxies and Sealers
Asphalt and Aluminum Emulsion
Water-Proofing Materials

Highest

- Up to 6 Guns
- Up to 0.065 tip
- Up to 4.0 gpm

SmartControl™

Graco's advanced **SmartControl** delivers a consistent spray fan without pressure fluctuation at all spraying pressures. Our **Premium** line of sprayers have the added benefit of a digital display with pressure readout, job/lifetime gallon counter, and self-diagnostics.

SMARTCONTROL™



WatchDog™

The **WatchDog Pump Protection System** automatically shuts the sprayer down when the bucket is empty – extending the life of the pump.




Easy Out™ Filter

The **Easy Out Pump Filter** is designed to filter from the inside out so filters won't get stuck or collapse when they are filled with dirt or debris. It's large filtering area reduces tip clogs and ensures a quality finish. Filter removes with the cap which means less mess.

QuikReel™

Introducing **QuikReel**, the ultimate solution to hose management. With QuikReel you can reel and unreel up to 300 feet of hose in seconds! The hose is connected so you're always ready to spray. In fact, it comes connected out of the box. With Graco's innovative QuikReel, you can get on and off the job site faster.



Endurance™ Pump

Graco's **Endurance Pump** is the most rugged and reliable pump on the market today. This field proven design with long-life **V-Max Blue™** packings, **Chromex™** rod and **MaxLife™** pump coatings delivers superior reliability and life.



ProConnect™

The **ProConnect Pump Removal and Installation System** allows you to replace your pump in seconds **without any tools!** This revolutionary design keeps you pumping – saving you time and money.



HONDA ENGINES

Built like no other.



Honda® Engine

This compact, lightweight **Honda Engine** is reliable, technologically advanced and easy to start. Comes with Oil Alert which contractors depend upon to keep their engine running at top performance.

Advantage Drive™

The drive is the critical link between the motor and the pump. Graco doesn't leave the manufacturing of our **Advantage DriveSystem** to others, rather we design and manufacture them at our world-class manufacturing facility located in the United States. This allows us to control the quality of these hardened steel gears. You can find peace of mind knowing that you have the most durable, longest lasting drive in the industry and Graco stands behind it with a lifetime warranty.



(Honda engine not exclusive to Graco.)



ENDURANCE™ ADVANTAGE PROGRAM

A Solution to Keep You Spraying

Purchase any new Graco Gas Airless Sprayer and you can purchase an Endurance Pump for up to **80% OFF** the list price. Keep a spare pump on hand to save yourself time and money on every job. If you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. With reliability you can count on, Graco ensures you'll always be up and spraying! Follow the registration instructions included with your sprayer. No matter what your choice, you'll soon discover how quickly and easily the QuikChange™ and ProConnect lowers get you up and spraying.

- ✓ On the Job Replacement
- ✓ Quick and Easy Change
- ✓ No Special Tools Needed
- ✓ Less Down Time



ProConnect no-tools pump removal system makes swapping out the Endurance Pump fast and easy!



PROVEN QUALITY. LEADING TECHNOLOGY.



GH 130/200/230/300

GH 130 Convertible

DESCRIPTION	PART #:
GH 130 Convertible	253957
GH 130 Convertible with Electric Motor Kit (Non CSA)	253959
GH 130 Convertible with Electric Motor Kit (CSA)	253980

SPECIFICATIONS:
MAX TIP SIZE: .037–1 Gun
 .023–2 Guns

MAX GPM (LPM): 1.3 (4.9)
MAX PSI (BAR): 3300 (227)
HONDA ENGINE: 120 cc (4.0 HP)

SPECIFICATIONS WITH ELECTRIC MOTOR:
MAX TIP SIZE: .031

MAX GPM (LPM): 1.1 (4.2)

- INCLUDES:**
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose



GH 200 Convertible

DESCRIPTION	PART #:
GH 200 Convertible	253962
GH 200 Convertible with Electric Motor Kit (Non CSA)	253963
GH 200 Convertible with Electric Motor Kit (CSA)	253981

SPECIFICATIONS:
MAX TIP SIZE: .047–1 Gun
 .034–2 Guns
 .027–3 Guns
 .023–4 Guns

MAX GPM (LPM): 2.15 (8.14)
MAX PSI (BAR): 3300 (227)
HONDA ENGINE: 160 cc (5.5 HP)

SPECIFICATIONS WITH ELECTRIC MOTOR:
MAX TIP SIZE: .031

MAX GPM (LPM): 1.1 (4.2)

- INCLUDES:**
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless Hose

The GH 130/200/230/300 are powerful hydraulic sprayers for high production contractors spraying a wide range of materials from latex and acrylics to elastomerics and block fillers on large commercial jobs. With the ability to change out the pump lower and convert to electric power without tools, you can be assured that you have the most versatile sprayer on the market today.

Easy Out Pump Filter and Crush-Proof Rock Catcher

- ▶ Filtering reduces tip clogs and ensures a quality finish
- ▶ Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- ▶ Filter removes with the cap for less mess
- ▶ Exclusive crush-proof rock catcher provides unmatched pump protection



High Capacity Cooling System

- ▶ Innovative hydraulic reservoir design
- ▶ No special hydraulic fluid needed
- ▶ Cooling fins on reservoir deflect heat away from sprayer



The ability to convert from gas to electric in seconds without any tools!




RAC X SwitchTip

The **RAC X SwitchTip** is a high-performance spray tip used for residential and commercial applications. With a large selection of tip sizes available we are sure to have one to fit your needs. RAC X provides the best fan pattern life and the highest quality finish. Graco tips are the most widely used reversible spray tips on the market today!



Contractor/Silver Plus Gun

Graco's gun offerings cover every application. The **Contractor Gun** continues to be the number one choice of painting contractors, with features like the FlexSeal™ design, Easy Out™ gun filter and the EasyGlide™ swivel. With the **Silver Plus Gun**, the fluid flows directly to the tip, making it ideal for spraying heavier materials. No matter which gun you choose, you can be assured that you're getting a quality Graco gun.



BlueMax II Hose

To maximize performance, choose the high performance **BlueMax II Airless Hose**. Lighter weight and increased hose flexibility improves usability while spraying under pressure. With superior flexibility and durability, BlueMax II is designed to ensure you get the best results from your airless sprayer.



Pump Armor™/TSL™

Maintaining your pump is essential for long life and reliability. Graco has made pump maintenance simple with our complete line of fluids. **Pump Armor** is a storage solution which protects your pump from the damaging effects of corrosion during storage. **TSL (Throat Seal Liquid)** prevents dried paint from accumulating on the pump rod – extending the life of the pump packings.



GAS AIRLESS SPRAYER SPECIFICATIONS



		GMAX 3400	GMAX II 3900	GMAX II 5900	
MODEL	Cart Design- Part Number	Hi-Boy-248664 Lo-Boy-248666	Premium Hi-Boy-258731 Lo-Boy-258736 Standard Hi-Boy-248684 Lo-Boy-248683	Premium Hi-Boy-258732 Lo-Boy-258737 Standard Hi-Boy-248688 Lo-Boy-248687	
SPECIFICATIONS	Maximum Tip Size	.027	.036	.043	
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	
	Maximum gpm (lpm)	0.75 (2.8)	1.25 (4.7)	1.60 (6.0)	
	Engine	120 cc Honda (4.0 HP)	120 cc Honda (4.0 HP)	160 cc Honda (5.5 HP)	
	Weight lbs (kg)	89 (41) Hi-Boy	109 (50) Hi-Boy	139 (64) Hi-Boy	
	Gun Support: (Gas)	1 Gun 2 Guns 3 Guns 4 Guns 5 Guns 6 Guns	0.027 — — — — —	0.036 0.023 — — — —	0.043 0.029 0.023 — — —
	Gun Support: (Electric)	1 Gun 2 Guns	— —	— —	— —
	INCLUDES	Gun	Contractor	Contractor	Contractor
		Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
Tip		RAC X 517	RAC X 517	RAC X 517	
Filter		Easy Out	Easy Out	Easy Out	
PUMP	Type	Endurance Piston QuikChange System	Endurance Piston ProConnect System	Endurance Piston ProConnect System	
	Intake	QuikAccess	QuikAccess	QuikAccess	
	Rod	Chromex	Chromex	Chromex	
	Cylinder	Hardened SST	Hardened SST	Hardened SST	
	Packings	V-Max Blue	V-Max Blue	V-Max Blue	
CONTROL AND DRIVE	Control	Electronic	SmartControl	SmartControl	
	Low Paint Indicator	N/A	WatchDog	WatchDog	
	Drive	N/A	Advantage Drive	Advantage Drive	
Premium FEATURES	Hose Reel	N/A	QuikReel	QuikReel	
	Digital Readout	N/A	SmartControl Digital	SmartControl Digital	
	Storage	N/A	On-Board Toolbox	On-Board Toolbox	



GMAX II 5900 Convertible	GMAX II 7900	GH 130 Convertible	GH 200 Convertible	GH 230 Convertible
Hi-Boy–248691 Hi-Boy with Electric Motor Kit (Non CSA)–248693 Hi-Boy with Electric Motor Kit (CSA)–248694 Lo-Boy–248695 Lo-Boy with Electric Motor Kit (Non CSA)–248697	Premium Hi-Boy–258733 Lo-Boy–258738 Standard Hi-Boy–248701 Lo-Boy–248700 Hi-Boy Roof Rig–248953	Complete–253957 Complete with Electric Motor (Non CSA)–253959 Complete with Electric Motor (CSA)–253980	Complete–253962 Complete with Electric Motor (Non CSA)–253963 Complete with Electric Motor (CSA)–253981	Complete–253965 Complete with Electric Motor (Non CSA)–253966 Complete with Electric Motor (CSA)–253982
.043	.048	.037	.047	.053
3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)
1.60 (6.0)	2.2 (8.3)	1.3 (4.9)	2.15 (8.1)	2.35 (8.9)
160 cc Honda (5.5 HP)	200 cc Honda (6.5HP)	120 cc Honda (4.0 HP)	160 cc Honda (5.5 HP)	200 cc Honda (6.5 HP)
139 (64) Hi-Boy	146 (67) Hi-Boy	150 (68)	160 (72)	168 (76)
0.043 0.029 0.023 — — —	0.048 0.035 0.027 0.023 — —	0.037 0.023 — — — —	0.047 0.034 0.027 0.023 — —	0.053 0.038 0.032 0.028 0.024 —
0.031 0.017	— —	0.031 0.017	0.031 0.017	0.031 0.017
Contractor	Contractor	Contractor	Contractor	Silver Plus
1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x .9 mm) BlueMax II Whip Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x .9 mm) BlueMax II Whip Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x .9 mm) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x .9 mm) BlueMax II Whip Hose
RAC X 517	RAC X 517	RAC X 517	RAC X 517	RAC X 517
Easy Out	Easy Out	EasyOut	EasyOut	EasyOut
Endurance Piston ProConnect System	Endurance Piston ProConnect System	Endurance Piston QuikChange System	Endurance Piston ProConnect System	Endurance Piston ProConnect System
QuikAccess	QuikAccess	QuikAccess	QuikAccess	QuikAccess
Chromex	MaxLife	Chromex	MaxLife	MaxLife
Hardened SST	MaxLife	Hardened SST	MaxLife	MaxLife
V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue	V-Max Blue
SmartControl	SmartControl	Hydraulic	Hydraulic	Hydraulic
WatchDog	WatchDog	Hydraulic	Hydraulic	Hydraulic
Advantage Drive	Advantage Drive	Hydraulic	Hydraulic	Hydraulic
N/A	QuikReel	N/A	N/A	N/A
N/A	SmartControl Digital	N/A	N/A	N/A
N/A	On-Board Toolbox	N/A	N/A	N/A



GH 300
Complete-253968
.057
3300 (227)
3.0 (11.4)
270 cc Honda (9.0 HP)
195 (88)
0.057 0.039 0.033 0.029 0.025 —
— —
Silver Plus
3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x .9 mm) BlueMax II Whip Hose
RAC X 517
Easy Out
Endurance Piston ProConnect System
QuikAccess
MaxLife
MaxLife
V-Max Blue
Hydraulic
Hydraulic
Hydraulic
N/A
N/A
N/A

GH 733	GH 833
Bare-231733 Complete-230975 GH 1015 Bare-965165 GH 2075 Bare-965171 GH 2560 Bare-965168 GH 3640 Bare-687327 GH 5030 Bare-687100	Bare-249318 Complete-249617 GH 833 OEM-249767 GH 833 Direct Immersion Kit-287843
.060	.065
3500 (240)	4000 (276)
3.0 (11.4)	4.0 (15.1)
18 hp (624 cc) Kohler	390 cc Honda (13.0 HP)
— — — — — —	0.065 0.046 0.037 0.032 0.029 0.026
— —	— —
Silver Plus	Silver Plus
3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x .9 mm) BlueMax II Whip Hose	3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 1/4 in x 3 ft (6.4 mm x .9 mm) BlueMax II Whip Hose
RAC X 517	RAC X 655, RAC X 517
Easy Out	Easy Out
Endurance Piston QuikChange System	Endurance Piston QuikChange System
QuikAccess	QuikAccess
Hardened SST	MaxLife
Hardened SST	MaxLife
V-Max Blue	V-Max Blue
Hydraulic	Hydraulic
Hydraulic	Hydraulic
Hydraulic	Hydraulic
N/A	N/A
N/A	N/A
N/A	N/A

IronMan 500G
256790
.043
3300 (227)
1.60 (6.0)
200 cc Honda (6.5 HP)
168 (76)
0.043 0.029 0.023 — — —
— —
Silver Plus
3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
RAC X 517, RAC X 527, RAC X Wide RAC 1231
Easy Out
Endurance Piston QuikChange System
QuikAccess
Chromex
MaxLife
V-Max Blue
IronMan
WatchDog
Advantage Drive
Flat-Proof Tires
Heavy-Duty Prime Valve
Control Lock Theft Deterent

**IRONMAN
FEATURES**



WARRANTY

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... we will be there.

NOBODY ELSE BUILDS SPRAYERS LIKE THIS

3 YEAR HONDA ENGINE WARRANTY*

If the engine fails from normal use, Honda will replace it under warranty for the original owner for 3 years.

LIFETIME DRIVE TRAIN WARRANTY

If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade-up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get **FREE** next business day air freight delivery when distributor orders the part by 2 p.m. CST.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco distributors for country specifics.



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955